Association Business

AMERICAN POTATO JOURNAL SUBJECT AND AUTHOR INDEX VOLUME 72, 1995

Subject Index

Analysis

Abbott's formula, 5

Analysis of transgenic plants, 527

Blot analysis, 439, 440, 443

Cluster analysis, 505, 506, 509, 510

Canonical discriminant analysis, 273,

277, 283

Growth analysis, 577, 578

Ikegami image analysis, 289

Plant tissue analysis, 55

Ploidy analysis, 696

RAPD analysis, 275

Soil analysis, 721-735

VCG analysis, 145, 147

Zeiss Vidas image analysis, 135

Bacteria

Actinomycete, 506

Agrobacterium, 330, 438, 439, 523, 539,

540, 599, 600

Antibacterial activity, 439-444

Arthrobacter spp., 137

Bacterial ring rot, 133, 134, 138, 139,

395, 403, 411

Biological control with yeasts, 339-350

Carbenicillin antibiotic, 329, 600-603

Cecropin B antibiotic, 437-443

Cefotaxime antibiotic, 329, 330, 600

Clavibacter michiganensis supsp. spedonicus,

133-138, 395, 411, 419, 677, 687

Clavibacter michiganensis supsp. spedonicus

strains R14 and R16, 134

DNA amplification, 141, 608

Erwinia caratovora subsp. atroseptica, 395,

437 446

Erwinia caratovora subsp. caratovora, 676

Erwinia chrysanthemi, 437, 440

Hygromycin antibiotic, 329, 601, 603

Immunofluorescense, 133-141, 608

Kanamycin antibiotic, 329, 330

Monoclonal antibody 9A1, 135

Protocol for assessing late blight

resistance, 407

Pseudomonas solanacearum, 299, 438, 515

Pseudomonas syringae, 438

Streptomyces scabies, 393, 403, 410, 417,

505-509

Callus formation, 336

Cameroon, 513-520

Chemicals

Acetone, 4, 135

CaCl., 691

CaHPO, 691

Calcium pantothenate, 331

Chloroform, 217

Cecropins, 438

CIPC, 737

Deoxynucleoside triphosphate, 606

Dithiothreitol, 606

Glycerol, 135

Kanomycin sulfate, 590, 594

Maleic hydrazide, 737, 738, 741

Methanol, 217

Monoterpenes, 737

Myo-inositol, 331

NaOCl, 391

NH, NO., 691

NH,SO, 40

NH₄50₄, 40

Nucleic acid pellets, 606

Penicillin G, 39

Pimaricin, 39

Polymyxan, 39

Polypeptides, 437, 438

Thiamine-HCI, 331

Transcriptase, 606

Diseases

Bacterial wilt, 103, 411, 417, 515

Blackheart, 451

Blackleg, 395

Blackspot, 705

Blackwart, 362, 395, 403, 411, 417

Common scab, 178, 393, 403, 411, 417, 505

Corky ringspot, 605

Early blight, 123, 275, 403, 411, 417, 686

Erwinia soft rot, 437, 676

Fusarium wilt, 187, 188, 275

Giant Hill, 274

Hollowheart, 681

Late blight, 299, 395, 404, 411, 417, 513,

Leafroll, 85, 86, 119-130, 300, 676

Net necrosis, 86, 681

Pink-eve, 417

Powdery scab, 355-363

Raised scab, 506

Rhizoctonia, 301, 403, 411, 417, 681

Russet scab, 506

Silver scurf, 450, 669, 670, 676

Spindle tuber, 676

Tobacco rattle virus, 605

Tuber dry rot, 145, 339-351, 411

Verticillium wilt, 187, 188, 395, 401, 403,

Economics of potato production, 99-118

Net revenue increases, 99-101, 107-111,

Production costs, 99, 104-106

Rotation practices, 99, 100

Sensitivity analysis, 111-113

Effect of antibiotics on callus and shoot formation, 334, 335

Effect of dark treatment on callus formation and shoot regeneration, 332, 333

Equipment

Absorbance detector model 441, 218 Color difference meter, SUGA MSC-2,

703

Conviron TC16, 367

Delong culture flasks, 694

Growlux fluorescent lamps, 331, 367

Neutron probe, 377

Ocular micrometer, 89

Polytron-Brickman model PT3000, 217

Soil tensiometer, 579

Watermark model 200 sensors, 533

Zeiss compound microscope, 89, 229

Fertilization

Influence of nitrogen on

N. uptake, 51

quality, 51, 74

yield, 51, 74

Nitrate leaching, 74, 82

Nitrogen management strategies, 52, 75

Nitrogen plant tissue analysis, 76

Nitrogen recovery, 72, 83

Nitrogen-soil analysis, 76

Nitrogen-split applications, 74, 76

Nitrogen-tuber concentrations, 51, 56

Nitrogen uptake efficiency, 73, 74, 77-79, 82

Fertilizer materials

Ammonium sulfate, 51, 53

Sulfur coated urea, 535

Fungi and Fungi Problems

Accensions showing resistance to

powdery scab, 359-360 Accensions susceptible to powdery scab,

301 Alternaria solani, 301, 403, 409, 411, 417,

Biological control of Fusarium dry rot

with yeasts, 339, 341 Blight resistance to metalaxyl, 35-48

Crytococeus laurentii, 334, 344-348, 350

Debaryomyces robertsiae, 345, 348 Effect of increased yeast concentration

on tissue colonization by Fusarium sambucinum, 347

Effect of yeast strains on germination of Fusarium sambucinum, 347

Effect of yeast strains limiting tissue colonization by Fusarium solani var coeruleum, 349

Effect of yeast strains on tissue colonization by Fusarium sambucinum, 346

Fusarium coeruleum, 395, 403, 407-411

Fusarium sambucinum, 145-148, 339-343, 347, 348, 395, 403, 409-411, 417

Fusarium solani var coeruleum, 339, 340, 343, 347, 348

Fusarium species, 449

Gibberella pulicaris, 145-150, 152-156, 340,

Helminthoporium solani, 669-671

Kloeckera apiculata, 350

Kluyveromyces marxianus, 344

Late blight scores for clones evaluated in Cameroon, 517-520

Mating types of Gibberella pulicaris, 145, 147-149, 156

Mating types of NA strains of *Phytophthora* infestans, 42, 45

Metalaxyl responses to NA strains of Phytophthora infestans, 40

Phoma exigua var exigua, 395, 403, 411

Phytophthora infestans A¹, 35, 36, 299, 358, 395, 411, 419

Phytophthora infestans A2, 35-38, 39, 514

Phytophthora parasitica, 47

Pichia anomala, 350

Pichia farinosa, 339, 344, 347

Pichia guilliermondii, 350

Pseudomonas fluorescens, 339, 343, 346, 347, 350, 419

Resistance to powdery scab, 355, 356

Rhizoctonia solani, 301, 403, 409, 411, 417, 419

Rhodotorula glutinis, 345

Selected strains of yeasts for biological control of *Fusarium* spp., 342

Spongospora subterranea, 355, 356, 362

Strains of Fusarium sambucinum, 146, 147, 153-155

Synchytrium endobioticum, 362, 395, 403, 411, 419

TBZ resistance, 148, 152-156

Trichosporon beigelii, 345

Verticillium albo-atrum, 395, 403, 409, 411 Verticillium dablia, 275, 395, 403, 411, 417

Verticillium dahlia, 275, 395, 403, 411, 417,

Yeasts as bacterial antagonists, 339, 341 Fungicides

Benzimidazale, 670

Bt-toxin, 158, 159

Captan, 160

Chlorothalonil, 160

Dimethyl sulfoxide, 148

Esfenvalerate, 160

Mancozeb, 161, 358

Metalaxvl 2E, 35, 39, 161

Ridomil, 39, 515, 520

Thiabendazole (TBZ), 145, 146, 160, 339, 340

Glycoalkaloids

α-solamarine, 262, 263

β-solamarine, 262, 263

Chaconine, 262, 263, 266, 267

Chaconine-solanine ratio, 267, 268

Commersonine, 262, 263

Glycoalkaloid analysis, 264, 265

Glycoalkaloid content of tubers, 261-263, 266, 396, 404, 414, 421, 684

Solanine, 262, 265, 267

Total glycoalkaloid content of tubers, 268, 269

Growth regulators

Abscisic acid, 225, 230, 231

Alar, 178, 181

Benzyladenine BA, 330

Blind seedpiece treatment, 178

Coumarin, 215, 216

Daminozide, 177-182

Endogenous abscissic acid (ABA), 215-221

221

Early stem and tuber growth, 545

Gibberellic acid, 428, 691, 692

Gibberellic acid GA, 545, 546

Growth regulator effects on dormancy of microtubers, 218, 219

Increasing eye numbers, 177, 180

Indoleacetic acid (IAA), 329-333, 335

Microtuber induction, 218

Naphthalene acetic acid (NAA), 330

Peptides, 438

Polymeric phenotic compounds, 225, 227-229, 232

Polymerized aliphatic compounds, 225

Reducing tuber weight, 177

Tuber eye increase, 179

Tuber elongation, 177

Zeatin riboside (ZA), 329-335

Herbicides

Diquat, 378

Eptam, 377

Metolachlor, 53

Metribuzin, 53, 160, 161

Hormonal interaction on shoot regeneration, 332, 333

Insects

Colorado potato beetle, 1, 2, 4, 123, 157, 158, 164, 174, 287-292, 551, 676

Colorado potato beetle control with

Bacillus thuringiensis, 1, 3, 158, 162 Colorado potato beetle survey on

Colorado potato beetle survey on insecticidal resistance, 551-557

Empoasca fabae, 263

Epitrix spp., 358

Esfenvaterati resistance by Colorado potato beetle, 1, 6, 7-10

Green peach aphid, 85, 119-130

Hyalophora cicropia, 438

Insect damage management, 158

IPM programs for Colorado beetle control, 1, 3

Leptinotarsa decemlineata, 1, 2, 157, 158,

264, 288, 551 Myzus antirrhinii, 86, 87

Myzus ascalonicus, 86, 87, 92

Myzus combalariae, 87

Myzus (Nectarosiphon) spp., 85-95

Myzus nicotianae, 86, 87 90-93

Myzus persicae, 4, 85-93, 119, 120

Pyrethroid resistance to Colorado potato beetle, 8

Yield compensation for insect damage, 157, 159, 165-168

Insecticides

Aldicarb, 123

Azimphosmethyl, 1, 3, 123

Bacillus thuringensis, 158, 162, 264

Bt-toxin, 158, 159

Cryolite, 1, 3

Endosulfan, 1, 3, 552

Esfenvalerate, 1-5, 123, 378, 552

Furadan, 515, 552

Guthion, 123, 357

Methimidophos, 121, 126

Methoxychlor, 123

Phosmet, 552

Irrigation (sprinkler), 533-543

Distribution patterns in potato hills, 535, 540, 541

Moisture stress effects at 3 growth stages, 375

Placement of granular matrix moisture sensors, 533, 539

Leaflet area and mass relationships, 289
Area:mass ratio of defoliated plants, 288

Season change in area:mass ratio, 293, 294, 296

Media

3 CPLR medium, 590, 593

Difco agar, 507, 600, 671

Difco bacto-agar, 331

Gamborg's B5 salts, 692

Hoagland's solution, 124, 245

LS basal media, 692

MS basal media, 691

Murashige-Skoog media, 216, 329, 331, 367, 600

Nova-mix, 367

Okanishi's regeneration media, 507

R-2 medium, 507

Rye agar medium, 39, 41

Soy broth agar, 342

Sunshine mix, 691

V-8 juice agar, 147, 161

YGM medium, 135

Organogenesis, 330

PAA Affairs

Abstracts of papers presented at the 79th Annual Meeting of PAA, 611-666

Book review-"Potato Production in the Tropics", 214, 388, 446

Committees for 1994-1995, 303

Committees for 1995-1996, 715

First call for nominations for Honorary Life Membership in PAA, 709

First call for papers for the 80th Annual Meeting of PAA, 707

First call of Graduate Student Awards Competition, 112

Honorary Life Members for 1995

David Curwen, 559

Lawrence A. Thibodeau, 563

Index for Volume 72 (1995) of the APJ, 793

Last call for papers for 79th Annual Meeting of PAA, 65

Last call for Honorary Life Membership nominations at 79th Annual Meeting of PAA, 69

Last call for Graduate Student Awards Competition papers, 67

Minutes of the 79th Annual Business Meeting of the PAA, 756-761

Author index, 803 Subject index, 793

Minutes of 1995 Executive Committee Meeting of PAA, 749-755

Minutes of New 1995-96 Executive Committee Meeting, 761, 762

Obituaries

William J. Hooker, 193

Arthur J. Pratt, 191

Roman W. Ross, 389

Past Annual Meeting sites of PAA, 567

Past officers of PAA, 569

Program for the 79th Annual Meeting of the PAA, 309-325

Registration form for the 79th Annual Meeting, 251

Reports of 1995 Committees

Business Editor, 765

Editorial Office, 771

Executive, 757

Finance, 762-764

Graduate Student Awards, 772

Honorary Life Membership, 753

Membership Secretary, 770

APJ Outstanding Paper Award Committee, 783

Site Selection, 755

Treasurer's Report and Financial Statement, 767, 769

Reports from Sections 1995

Breeding and Genetics (1994), 777, (1995), 778

Certification, 775

Entomology, 772

Extension, 774

Pathology, 779

Physiology, 781

Production and Management, 781

Utilization, 783

Second call for nominations for Honorary Life Membership in PAA, 789

Second call for papers for the 80th Annual Meeting of PAA, 785

Second call for Graduate Awards

Competition, 787 Symposium—"Dynamics of the Stored Potato, A Management Approach",

449-503 Pathogen derived resistance, 590

Pesticide resistance, 158, 159

Photoperiod effects on growth of greenhouse plants, 372

Photoperiod effects on yield of greenhouse grown tubers, 365

Plant density investigations, 199

Plant spacing effects on yield, 197, 204, 207-209

Plant species

Antirrhinum majus, 89, 91

Apple, 330

Avena sativa, 721, 722

Beans, 199

Birch, 330

Borago officinalis, 89

Buddleja davidii, 89, 91

Brussel sprouts, 690

Capsicum annum, 89

Chenopodium quinoa, 608

Dianthus caryophyllus, 89, 91, 92

English peas, 100-103

Lupinus albus, 721, 722

Medicago sativa, 721, 722

Mustard, 91

Myosotis sylvatica, 89, 91

Nicotiana spp., 605-607

Nicotiana tabacum, 89

Peanut, 199

Physalis floridana, 85, 90

Prunus persica, 89, 91

Rhaphanous sativus (radish), 507

Silene spp., 89, 91, 92

Solanum dulcimara, 89

Soybean, 199

Spring barley, 100-103, 199

Spring oats, 100-103, 199

Sugarbeet, 199

Tobacco, 91, 524, 526, 527

Veronica anagallis-aquatica, 89

Vicia vilosa, 721, 722

Production of minitubers, 366

Potato breeding

Androgenic embryos, 693

Backcrossing for glycoalkaloid content, 261-269

Binary vector pBII21, 600

Clonal PI sequence of PVY, 523

C'onal variations, 274, 276

Cloning of the PI gene, 525

Cloning and sequence analysis, 527

CO-suppression, 600

CTAB procedure, 591

Detection of transgenic coat protein with ELISA, 591

Diploid clones, 689, 690

Diploid clones APB3, APM1, APC3, 690-692

DNA synthesis, 524, 525, 606

Drought stress, 579

Drought tolerance, 577, 578

Effect of cultivar and microtuber size on

dormancy, 218, 219

Effect of storage temperature, moisture control and time on percentage

germination of true potato seed, 430-

Embryo quality, 691

Embryo yield and recovery, 692

Establishment of new plants from

dormant true potato seed, 427

Evaluation criteria for frost damage, 15

Evaluation criteria for frost damage, 15

Extended anther culture, 695

Flowering in heat, 29

Freezing tolerance, 243, 248

Frost hardiness, 13

Frost stress scores for many Solanum spp., 16, 17, 18

Genotype diversity to drought, 578, 579 Genotype x environment interaction,

273, 276-278, 283

Heat fertility, 25

Heat stress evaluation, 23, 24

Male fertility under heat stress, 28, 30

Mapplebeck and Asiedu index, 217

Mesophyll protoplasts, 703

Microtuber dormancy, 215, 216

Microtuber size, 218

New chip cultivar, 417

New potato germplasm evaluation summary, 387

Norgold Russet strains, 275

Pathogen derived resistance, 590

Plant transformations, 525

Plasmid pBV6, 603

Pollen shed and viability characteristics of *Solanum* spp., 28, 30

Private potato breeders across Canada form National Association to represent

their interests, 309
Regeneration of anther-derived embryos,

Resistance to common scab, 505, 510

RNA extraction, 524, 525

Sequential anther culture, 659

Short dormancy cultivar, 409

Stomatal density, 246

Stomatal indices of genotypes, 246-248

Stomatal index marker, 243, 248

Strain selection, 273, 274

Suppression of marker genes, 599

Transgenic potato clones, 437, 602

Transgenic potato lines, 599

Transgenic potato plants, 524

Transformation of plants with virus YP1 gene, 523

True potato seed, 24, 25

True potato seed dormancy, 427, 434,

Potato cultivars (new)

AC Belmont, 409-416

AC Brador, 401-407

AC Chaleur, 393-397

AC Novachip, 417-426

Amisk, 185

Goldrush, 331, 332, 334, 335, 547

Niska, 185

Portage, 681-688

White Baron, 701-705

Potato cultivars (old)

Agria, 437, 439-443

Albina, 355, 362

Alka Pinu, 355

Alpha, 547

Arnica, 402

Atlantic, 134, 148, 160, 161, 167, 172,

199, 376, 377, 387, 421-423, 676, 684, 685

Avon, 395-397

Bamira, 300, 301, 513, 521

Bintje, 437, 439-443

Bliss Triumph, 418

Belleisle, 393 BelRus, 676

Berolinae, 580, 581, 583

Bodlaender, 547

Caribe, 395-397

Cascade, 119, 122-129, 676

Chieftain, 148, 676

Cipira, 300, 301, 513, 521

Conestoga, 373, 376, 381, 676

Corsima, 362

Crystal, 676

Cusco, 362

Danshakuimo, 701-703

Desiree, 299

Dorita, 403, 404

Earlaine, 410, 418

Escort, 299

Formosa, 299, 515, 518-520

Frontier Russet, 207-212

Gabriela, 355

Goldrush, 547

Green Mountain, 404, 507, 510

Hindenberg, 418

Houma, 394, 410, 418

Jemseg, 394-396, 409, 411, 413

Kanona, 423

Karnico, 437, 439-443

Katahdin, 3, 41, 168, 355, 404, 418, 683,

685, 745

Kennebec, 119, 122-129, 148, 168, 215-219, 227, 236, 240, 266, 268, 395-397,

401, 404, 405, 411, 412, 417, 420-423,

583, 685, 745

Kondor, 437, 439-443

Krantz, 505, 510

Krasava, 288

Libertas, 403, 404

Loman, 402

Majestic, 182

Maradona, 515

Marinus, 547

Merrimack 168

Monona, 227, 423

Niska, 185, 188, 376, 377, 423

Norchip, 148, 229, 235, 236, 240, 331-335, 376, 377, 381, 671, 676, 745

Nooksack, 177-182

Norgold Russet, 676

Norgold Russet (M), 273, 275-278, 284

Norking Russet, 676

Norland, 160, 163, 199, 202, 227, 236, 377, 671

Norwis, 148, 683, 721, 722

Nseko, 522

Ontario, 148, 505, 507, 510, 685

Parnassia, 418

Pentland Crown, 355

Pito, 523, 527

Pontiac, 199, 202

Primicia (Inta), 355

Producent, 437, 439443

Ranger Russet, 148, 177-180, 185, 188, 376, 377, 596

Raritan, 410, 682

Record, 402

Redsen, 227

Rough Purple Chili, 670

Russet Burbank, 51, 52, 56, 73-75, 78, 82,

86, 91, 103, 108, 112, 115, 119-129,

147, 148, 182, 187, 197, 212, 215-219, 227, 273, 275, 287, 288, 290, 291, 330,

339, 340, 343, 376, 377, 381, 401-404,

457, 458, 507, 510, 535, 589, 592, 596,

676, 685, 704

Russet Norkota, 148, 331-335, 606

Sable, 394-396, 411, 412

Santiaguina, 355

Sebago, 394, 401, 404

Serrana, 355, 428

Shepody, 148, 177, 182, 365, 366, 368,

370, 371, 376, 377, 545, 546, 548, 737-

743

Snowden, 148

Somerset, 423

Superior, 3, 148, 167, 172, 215-220, 393, 398, 409, 413, 414, 419, 507, 510, 547,

683, 685

Takuaquena, 362

Toralapa, 522

Tubira, 300, 301, 513, 521

Ultimus, 355

Up-To-Date, 581, 583

Viking, 676

Yukon Gold, 676 Yungay, 362

Potato Cultivars (numbered seedlings)

1242-6, 418

1441-8, 418

3788597X1, 580

38054-3, 580, 581

43055, 418

46952, 418

516401, 402

642-1119 (Deodara), 263

66-5, 394

AC 2595-3, 682

AL-624, 393

AV7411-2, 186

B0339-1, 505

B0348-2, 505

B2919-1, 682

B36924, 682

B3995-13, 410

B5088-21, 682 B5141-6 (Lenape), 262

B605-10, 682

B627, 126, 402

B96-56, 402, 410, 418

BR112-113, 580, 581

BR6831-5, 682

CS7697-24 (Portage), 682

DGV-103A, 355

DTO-28, 355

F34011, 418

F430-21, 418

F43026, 418

F45019, 118

F4519, 682

F47024, 401

F51013, 410, 418

F51043, 418 F53056, 418

F58050, 418

F600034, 401, 402

F61101, 401

F66011, 417, 418

F68061, 417, 418

F70021 (Belmont), 409416

F72090 (Chaleur), 393400

F73008 (Brador), 401408

F77087 (Novachip), 417426

G-6, 355, 362

G81422-6, 355, 362

I-1035, 580, 581

K113-1, 418

LT-6, 355

LT-8, 580, 581

MINN17-2, 394

MINN92-36-5, 394

N457, 393

ND3022-16, 682

ND860-2, 227, 236, 240, 329, 331-335

P-7, 580, 581

PI1865-48, 245

PI243503, 245

PI458313, 262

PI472659, 15

PI472810, 263, 265-269

SSRPB834C (29), 682

WRF889, 15

Potato quality

Blackspot bruise, 681, 685

Chip colors of AC Novachip, 422

Cooking quality of AC Belmont, 420

Cooking quality of AC Brador, 401-406,

414

Cooking quality of AC Chaleur, 396, 397

Effect of moisture stress on fry colors, 303

French fry colors, 745

French fry colors of AC Brador, 406

Fructose, 737, 739, 742, 744, 745

Fry color and sugar relationships, 737,

738, 744

Glucose, 737, 739, 742, 744, 745

Liquid chromatography, 739

Non-browning somaclonal variant, 701,

703

Phellogen, 226

Porometry, 227

Porometric measurements, 225, 227, 228,

990

Pre-peeled potatoes, 701

Reconditioning for french fries, 738, 741

Reducing sugars, 737, 738, 741, 745

Shatter bruise, 687

Specific gravity, 51, 55, 56, 182, 396-398,

401, 405, 406, 412-414, 421, 426, 685

Superized phellem, 226

Sucrose, 737, 739, 742, 744, 745

Tuber maturity, 225, 240

Tuber water vapor conductance, 225,

227, 228, 232, 233, 235, 239, 240

Tyrosine content, 703

Wound healing, 225, 226, 228, 230, 235, 239, 246

Potato species (Solanum)

acaule, 13, 15, 19, 21, 24, 249, 374, 676

albicans, 13, 21

andigena, 560, 579

berthaultii, 24, 159, 690

bukasovii, 19

bulbocastanum, 24, 669

caldasii, 263

cardiophyllum, 243-245, 247-249

chacoense, 15, 24, 29, 261-263, 669, 676,

690

circaeifolium, 24

commersonii, 13, 21, 23-25, 29, 243-245,

247-249

demissum, 13, 21, 24, 29, 444, 669, 675

edinense, 44

fendleri, 19, 24, 29, 669

guerreroense, 24

infimdibuliforme, 29 iopetalum, 44

jamesii, 24, 25, 29, 669

kurtzianum, 24, 25, 29, 31, 676

megistacrolobum, 19, 23, 25, 29, 31

microdontum, 23-25, 29, 690

mochicense, 24

morelliforme, 25

multidissectum 19

pascoense, 19

paucissectum, 13, 19, 21

petota, 25

phureja, 579, 690

pinnatisectum, 25

polytrichon, 25, 29

toralapanum, 18

tuberosum, 1, 51, 73, 85-87, 146, 158,

177, 178, 261-263, 330, 427, 506, 524,

533, 545, 579

stoliferum, 44, 669, 676

vernei, 24

verrucosum, 44

Regeneration from leaf tissue, 329, 336

Rotations, 101-103

Rotation effects on soil properties, 721

Scab scoring for lesions, 508

Scab lesion indices for potato clones, 509

Seedpiece treatment with GA-talc-fir bark, 545-549

Soils

Bulk density, 722, 727, 732

Inorganic N in soils, 728, 729, 731

Mineralizable N. 721

Soil carbon among rotations, 725, 727 Soil hydraulic conductivity, 721, 724, 732

Storage

Design and management, 463-480

Antibruise commandments, 464

Fans and airflow, 470

Management fundamentals, 477

Preparing storage for use, 477

Storage design factors, 464

Storage insulation, 465

Storage layout, 463

Vapor barriers, 468 Ventilation control systems, 473

Economics of potato storage

Economic issues, 496

Economic examples, 498

Historical perspective of Sparks, 495

History-Inca-Gold Camp, 493, 494

Issues of the future of storage, 500

Storage Management - Early season, 449-462

Bruise reduction in handling, 456

Future directions in storage research, 460

Relative humidity, 454

Shrinkage losses, 454, 455

Sprout development, 458-460

Storage research facilities, 459

Storage of stressed potato lots, 457

Storage temperatures, 449

Temperature guidelines for storage, 451

Tuber weight losses, 453, 685

Wound healing, 452

Utilizing the stored crop, 481-492

Keys to quality from storage, 481

Supplying quality seed potatoes, 484, 486

Supplying quality processing potatoes,

Supplying quality table potatoes, 483

Viruses

AGDIA protocol, 90

Cucumber mosaic virus, 524

Electrophoresis, 440, 606

ELISA, 90, 133-141, 526, 589, 601, 608

NASH-ELISA, 300, 301

Phenol-chloroform extraction, 606

PLRV, 85-95, 119-130, 186, 299, 301, 395, 401, 403, 410, 583

PLRV transmission assay for

Myzus nicotianae, 90

Myzus persicae, 90

PLRV transmission by

Myzus nicotianae, 91

Myzus persicae, 91

Polymerase chain reaction, 606

Polyviridae virus family, 524

PVA, 523, 526, 530

PVS, 186

PVX1, 186, 299, 301, 523, 526, 676

PVY°, 401, 403, 409, 410, 417, 418, 523-530

Tobacco rattle virus, 605

Virus YP1 gene, 523

Weeds

Lambsquarter, 201

Nightshade, 201

Redroot pigweed, 201

Weed biomass, 202-205

Weed competition effects on yield, 197,

Weed pressure effects on yield, 197, 199


Yields, 51, 55, 56, 99, 102, 103, 165, 168, 178-180, 182, 187, 207-209, 395-398, 404-406,

412-414, 420-421, 517-520, 684, 704

Yield versus leaf area relationship, 288

Yield of minitubers from greenhouse

potato plants, 371



Author Index Volume 72

ABBAS, L. and J. LORENZEN. Effect of heat stress on carbohydrate metabolism of potato leaves, 611 (abst.).

ACUNA, I. see CIAMPI, L.

ALFORD, A.R. see GRODEN, E.

ALFROD, A.R. see MENA-COVARRUBIAS, J.

ALFORD, A.R. see PORTER, G.A.

ALI, A. see SOUZA-MACHADO, V.

ALI-KAHN, S.T. see MOZAFARI, J.

ALLDREDGE, J.R. see JOHNSON, D.A.

ALLEFS, S.J.H.M., D.E.A. FLORACK, C. HOOGENDOORN, and W.S. STIEKEMA. Erwinia soft rot resistance of potato cultivars transformed with a gene construct coding for antimicrobial peptide cecropin B is not altered, 437.

ARIHAIRA., T. KITA, S. IGARASHI, M. GOTO, and Y. IRIKURA. White Baron: A nonbrowning somaclonal variant of Danshakuimo (Irish Cobbler), 701.

ARSENAULT, W.J. see DE JONG, H.

ARSENAULT, W. and J. STEWART. Island Sunshine: A new yellow-fleshed potato variety from Prince Edward Island, 611 (abst.).

ARSENAULT, W.J. and P.W. BOSWALL. Effects of nitrogen fertilizer rates and in-row seed piece spacings on the yield of Butte, Frontier Russet, HiLite Russet and Ranger Russet, 612 (abst.).

ARSENAULT, W.J. see TARN, T.R.

BACKUND, J.E. and F.I. LAUER. Parthenocarpy and parthenogenesis in a Solanum phureja X S. stenotomum population, 612 (abst).

BAGNELL, R.H. see DE JONG, H.

BAGNELL, R.H. see TARN, T.R.

BALBYSHEV, N.F. and J.H. LORENZEN. Integrated Management of CPB in the Red River Valley, 612 (abst.).

BAMBERG, J.B. Screening potato (Solanum) species for male fertility under heat stress, 23.

BAMBERG, J.B., J.P. PALTA, L.A. PETERSON, M. MARTIN, and A.R. KRUEGER. Screening potato species germplasm for tuber calcium, 613 (abst.).

BAMBERG, J.B. see VEGA, S.E.

BAMBERG, J.B. see VEGA-SEMORILE, S.E.

BAMBERG, J.M. see KLEINHENZ, M.D.

BANTTARI, E.E., L. GYENIS, and C. DIFONZO. Mechanical spread of potato virus Y (PVY) by potato seed-piece cutters and by field equipment, 613 (abst.).

BETANCOURT, O. see CIAMPI, L.

BLUNDY, K. see SOWOKINOS, J.

BOE, A.A. see HASBMI, S.B.

BOE, A.A. see PARK, Y.O.

BOHL, W.H. see LOVE, S.L.

BOHL, W., A. THOMPSON-JOHNS, and S. LOVE. Seed piece bruising effects on stand, stems and tubers per plant, and yield of Russet Burbank potatoes, 614 (abst.).

BOSWALL, P.W. see ARSENAULT, W.J.

BOTHAST, R.J. see SCHISLER, D.A.

BOTHAST, R.J. see SLININGER, P.J.

BOWERS, B. see SHETTY, K.

BOYDSTON, R.A. see VAUGHN, S.F.

BOYLE, K.J. see WESTRA, J.V.

- BRANDT, T.L., G.E. KLEINKOPF, M. THORNTON, P. NOLTE, and M. LARKIN. Evaluation of fall precut seed as an alternative seed source. 614 (abst.).
- BRANDT, T.L. see LEWIS, M.D.
- BRITTAN, K. see RYKBOST, K.A.
- BROOK, R.C., T.R. FORBUSH, and R.J. FICK. Potato storage design and management, 463. BROOK, R. and K. HALFMANN. Chip potato variety response to long term storage, 615
- (abst.).
 BROWN, C.R., O.P. SMITH, V.D. DAMSTEEGT, C.P. YANG, L. FOX, and P.E. THOMAS.
 Suppression of PLRV titer in transgenic Russet Burbank and Ranger Russet, 589.
- BROWN, C.R., C.P. YANG, H. MOJTAHEDI, and G.S. SANTO. Development of a RAPD-based map to study introgression of resistance to Columbia root-knot nematode, 615 (abst.).
- BROWN, R.G. see HENN, R.A.
- BURRELL, M.M. see SOWOKINOS, J.
- BUSHWAY, A.A., R.W. WORK, A.F. REEVES, and A. LAVERTU. Phenolic acids, glycoalkaloids and polyphenol oxidase activity for yellow and white flesh potato cultivars, 616 (abst.).
- CAMPBELL, W.I. Reviving potato breeding in Alaska, 616 (abst.).
- CARLSON, H.L. see RYKBOST, K.A.
- CASTLE, S.J. see HALBERT, S.E.
- CHACON, G. see TROGNITZ, B.R.
- CHENG, Z.M. see PARK, Y.D.
- CHIARI, T. see CIAMPI, L.
- CHRIST, B. see POWELSON, M.L.
- CIAMPI, L., B. SEPULVEDA, L. FRUSCIANTE, and T. CHIARI. Germplasm recollection and virus infestation of wild and cultivated potatoes in Chile (1990-94), 617 (abst.).
- CIAMPI, L., M. GUTERREZ, O. BETANCOURT, L. FRUSCIANTE, T. CHIARI, J. KALACICH, and I. ACUNA. Resistance of Chilean potato germplasm to *Rhizoctonia solani* and *Erwinia carotovora* (subsp. *carotovora* and *atroseptica*), 617 (abst.).
- CLAPHAM, W.M. see HONEYCUTT, C.W.
- COLEMAN, W.K. see LECLERC, Y.
- COLTMAN, R.R. and T.L. GERMAN. Potato crop productivity as a function of seed generation, 617 (abst.).
- CONTRERAS, A. see SPOONER, D.M.
- CORSINI, D.L. see DESJARDINS, A.E.
- CORSINI, D. see HALBERT, S.
- CORSINI, D. see SHETTY, K.
- CORSINI, D. see THOMPSON-JOHNS, A.
- CROSS, H.Z. see HASHEMI, S.B.
- CROSSLIN, J.M. and P.E. THOMAS. Detection of tobacco rattle virus in tubers exhibiting symptoms of corky ringspot by polymerase chain reaction, 605.
- CUNNINGHAM, C.E. see REEVES, A.F.
- DAMSTEEGT, V.D. see BROWN, C.R.
- DAVIES, H.T. see DE JONG, H.
- DAVIES, H.T. see TARN, T.R.
- DAVIS, A.A. see REEVES, A.F.
- DAVIS, J.R., O.C. HUISMAN, L.H. SORENSEN, and A.T. SCHNEIDER. Verticillium dahliae: A key factor influencing specific gravity and production of the Russet Burbank potato, 618 (abst.).
- DEAHL, K.L. see SANFORD, L.L.
- DEAHL, K.L., S.P. DEMUTH, and D.A. INGLIS. Occurrence of metalaxyl resistant isolates of *Phytophthora infestans* on hosts not treated with metalaxyl, 619 (abst.).
- DEAHL, K.L., S.P. DEMUTH, S.L. SINDEN, and A. RIVERA-PENA. Identification of mating types and metalaxyl resistance in North America populations of *Phytophthora infestans*, 35.

DEBOER, S.H. see DINESEN, IB G.

DE JONG, H. see MURPHY, A.M.

DE JONG, H., G.C.C. TAI, A.M. MURPHY, T.R. TARN, J.H.E. THORPE, W.J. ARSENAULT, R.H. BAGNALL, H.W. PLATT, and D.A. YOUNG. AC Novachip: A new potato cultivar with excellent chip quality after long storage and reconditioning, 417.

DE JONG, H. see TARN, T.R.

DE JONG, H., T.R. TARN, A.M. MURPHY, G.C.C. TAI, R.H. BAGNALL, W.J. ARSENAULT, J.H.E. THORPE, H.W. PLATT, D.A. YOUNG, and H.T. DAVIES. AC Chaleur: A new early-maturing cultivar with excellent table quality, 393.

DEMAGANTE, A.L., P.M. HARRIS, and P. VANDER ZAAG. A promising method for screening drought tolerance in potato using apical cuttings, 577.

DEMO, P. see MARTIN, C.

DEMUTH, S.P. see DEAHL, K.L.

DESJARDINS, A.E. Population structure of Gibberella pulicaris (Anamorph Fusarium sambucinum) from potato tuber dry rot in North America and Europe, 145.

DESJARDINS, A.E., S.P. MCCORMICK, and D.L. CORSINI. Diversity of sesquiterpenes in forty-six potato cultivars and breeding lines, 619 (abst.).

DIFONZO, C. see BANTTARI, E.F.

DIFONZO, C.D., D.W. RAGSDALE, and E.B. RADCLIFFE. Potato leafroll virus spread in differentially resistant potato cultivars under varying aphid densities, 119.

DIFONZO, C., D. RAGSDALE, and E. RADCLIFFE. Aphid species associated with potato virus Y spread in the Red River Valley, 1992-1994 field seasons, 619 (abst.).

DINESEN, IB G. and S.H. DE BOER. Extraction of Clavibacter michiganensis subsp. sepedonicus from composite samples of potato tubers, 133.

DONNELLY, D.J. see LECLERC, Y.

DOUCHES, D. see HUDY, P.

DOUCHES, D. see MAAS, D.

DOUCHES, D.S. see SPOONER, D.M.

DOUGLASS, K.D. see SEABROOK, J.E.A.

DOUGLASS, L.K. see SEABROOK, J.E.A.

DRUMMOND, F. see GRODEN, E.

DRUMMOND, F.A. and E.GRODEN. A primary infection simulation model of the Colorado potato beetle by *Beauveria bassiana*, 620 (abst.).

DRUMMOND, F. see HARTKE, A.

DRUMMOND, F.A. see MENA-COVARRUBIAS, J.

DRUMMOND, F. see PORTER, G.A.

DRUMMOND, F.A. see ULLRICH, S.

EBERLEIN, C.V. see LOVE, S.L.

ENZ, J.W. see GUDMESTAD, N.C.

ERICSSON, L.D. see SLININGER, P.J.

ESLAVA, M. see TROGNITZ, B.R.

FARRIES, B.C. see LYNCH, D.R.

FEIBERT, E.B.G. see SHOCK, C.C.

FEIBERT, E.B.G., C.C. SHOCK, and L.D. SAUNDERS. Nitrogen fertilization requirements of potatoes under precision irrigation, 620 (abst.).

FERNANDEZ, G.C.J. see MILLER, JR., J.C.

FICK, R.J. see BROOK, R.C.

FLECK, D.L. see HAYNES, K.G.

FLEISCHER, S., R. WEIS, Z. SMILOWITZ, and D. MIDGARDEN. Site specific IPM for managing Colorado potato beetle populations and insecticide resistance, 620 (abst.).

FLORACK, D.E.A. see ALLEFS, S.J.H.M.

FLORES, O.A. see GUIGON, L.C.

FOLLETT, P.A. see NAULT, B.A.

FONDONG, V. see MARTIN, C.

FORBUSH, T.R. see BROOK, R.C.

FOROUD, N. see LYNCH, D.R.

FOX, L. see BROWN, C.R.

FRAZIER, M.J. see LEWIS, M.D.

FRANCL, L.J. see RODRIGUEZ, D.

FRENCH, E.R. see TORRES, H.

FRENCH, J.R. see HAMM, P.B.

FRIAS, T.G. see GUIGON, L.C.

FRIEDMAN, M. and G.M. MCDONALD. Extraction efficiency of various solvents for glycoalkaloid determination in potatoes and potato products, 621 (abst.).

FRUSCIANTE, L. see CIAMPI, L.

FULLER, N. see MIKITZEL, L.J.

FULLER, J. see SHETTY, K.

GALEGATI, C. see LOVATTI, L.

GASTELO, M. see LANDEO, J.A.

GALLANDT, E. see ULLRICH, S.

GASS, T. see MARTIN, C.

GERMAN, T.L. see COLTMAN, R.R.

GICHOHI, E.G. and M.K. PRITCHARD. Storage temperature and maleic hydrazide effects on sprouting, sugars, and fry color of Shepody potatoes, 737.

GLYNN, M.T. see LULAI, E.C.

GLYNN, M.T., P.H. ORR, D.A. PRESTON, and V.L. HOFMAN. Correlating harvest-time and response: III. Field tests of harvest-time damage, 621 (abst.).

GLYNN, M.T. see PRESTON, D.A.

GOTH, R.W., K.G. HAYNES, R.J. YOUNG, D.R. WILSON, and F.I. LAUER. Relative resistance of the potato cultivar Krantz to common scab caused by Streptomyces scabies as determined by a cluster analysis, 505.

GOTH, R.W. and K.G. HAYNES. Field plot testing of potato germplasm for late blight resistance, 622 (abst.).

GOTO, M. see ARIHARA, A.

GOU, J. see MAAS, D.

GOULD, F. see NAULT, B.A.

GRAFIUS, E.J. Costs and losses in Michigan due to insecticide resistance in Colorado potato beetle, 622 (abst.).

GRAFIUS, E. see HUDY, P.

GRAFTON, G. see RODRIGUES, D.A.

GRODEN, E. see DRUMMOND, F.A.

GRODEN, E., F. DRUMMOND, M. LIEBMAN, D. LAMBERT, A.R. ALFORD, G.A. PORTER, J. MCBURNIE, and M. MARRA. Potato cropping systems research in Maine: I. Comparison of conventional versus low-input and biological pest management systems, 622 (abst.).

GRODEN, E. see PORTER, G.A.

GROZA, H. Use of parametric and nonparametric coefficients of phenotypic stability in clonal selection, 623 (abst.).

GUBB, I., S. SHARP, and J. MOORBY. The influence of atmospheres enriched with CO_2 on sprouting sugar metabolism and respiration of potato tubers, 623 (abst.).

GUDMESTAD, N.C., J.W. ENZ, G.A. SECOR, and D.A. PRESTON. Forecasting potato late blight using the North Dakota Agricultural Weather Network, 624 (abst.).

GUDMESTAD, N.C. see RODRIGUEZ, D.A.

GUDMESTAD, N.C. see SECOR, G.A.

GUENTHNER, J.F. Economics of potato storage, 493.

GUENTHNER, J.F. and R.A. LITTLE. Leaving small potatoes in the field, 624 (abst.).

GUENTHNER, J.F. see STARK, J.C.

GUIGON, L.C., A.A. SANCHEZ, T.G. FRIAS, O.A. FLORES, C.D. HERNANDEZ, and T.V.

PARGA. Epidemiology of potato diseases caused by soil borne fungi in South of Coahuila Y Nuevo Leon, Mexico, 625 (abst.).

GUNTER, C.C. see KLEINHENZ, M.D.

GUTIERREZ, M. see CIAMPI, L.

GYENIS, L. see BANTTARI, E.F.

HABERLACH, G.T. see MCGRATH, J.M.

HAFEZ, S. see SULOIMAN, A.

HALBERT, S.E., S.J. CASTLE, and T.M. MOWRY. Do Myzus (Nectarosiphon) species other than M. persicae pose a threat to the Idaho potato crop?, 85.

HALBERT, S., D. CORSINI, L. SANDVOL, S. QUISENBERRY, and S. VAUGHN. Epidemiology of PVY in Idaho: Prospects for aphid repellents, 625 (abst.).

HALFMANN, K. see BROOK, R.

HALSETH, D.E. and R.W. ZOBEL. Analysis of regional potato trial data with the AMMI model, 626 (abst.).

HALL, R. see PETERS, R.D.

HAMM, P.B., B. MUNK, J.R. FRENCH, and C.A. TIKKANEN. Comparison of aerial, chemigation, and ground fungicide application and implications for late blight control in potatoes, 626 (abst.).

HANE, D.C. and P.B. HAMM. Effects of tuber perpetuated PVY and PLRV on yield and quality characters of Shepody and Russet Norkotah potatoes, 627 (abst.).

HANSON, L. and R. LORIA. Inhibition of Fusarium species by carbonate and bicarbonate salts In Vitro, 627 (abst.).

HANSON, L. and R. LORIA. Variability in symptoms caused by Fusarium species in potato tubers, 627 (abst.).

HARRIS, P.M. see DEMAGANTE, A.L.

HARTKE, A., F. DRUMMOND, and M. LIEBMAN. Study of the habitat preference and feeding behavior of the larval stage of *Harpalus rufipes* (Degeer) (Coleoptera:carabidae), a weed seed predator in Maine potato Agroecosystems, 628 (abst.).

HASHEMI, S.B.S-Z, A.A. BOE, R.H. JOHANSEN, and H.Z. CROSS. Genetic factors of tuberization in potatoes, 628 (abst.).

HAYNES, K.G. see GOTH, R.W.

HAYNES, K.G. see KOBAVASHI, R.S.

HAYNES, K.G., J.B. SIECZKA, M.R. HENNINGER, and D.L. FLECK. Genotype X environment interactions for yellow-flesh intensity in tetraploid potatoes grown at three Northeastern locations, 628 (abst.).

HELGESON, J.P., R.V. JAMES, and W.R. STEVENSON. Late blight and early blight resistance from somatic hybrids between Solanum bulbocastanum and potato, 629 (abst.).

HELGESON, J.P. see MCGRATH, J.M.

HENN, R.A., J.G. PHILLIPS, and R.G. BROWN. Russet Norkotah, a potato cultivar latently infected by PVT_a, 629 (abst.).

HENNINGER, M.R. see HAYNES, K.G.

HERNANDEZ, C.D. see GUIGON, L.C.

HERO, D.E. see KELLING, K.A.

HILLER, L.K. see OLSEN, N.L.

HILLER, L.K., N.L. OLSEN, and S.L. VICTORY. Development and severity of internal brown spot in potato tubers, 630 (abst.).

HOFMAN, V.L. see GLYNN, M.T.

HOLLEY, J. see LYNCH, D.R.

HOLLIDAY, N.J. see LACTIN, D.J.

HONEYCUTT, C.W., W.M. CLAPHAM, and S.S. LEACH. Influence of crop rotation on selected chemical and physical soil properties in potato cropping systems, 721.

HOOGENDOORN, C. see ALLEFS, S.J.H.M.

HOOGENDOORN, C. see JANSSEN, G.J.W.

HUANG, H., Z. SMILOWITZ, M.C. SAUNDERS, and R. WEISZ. Field selection for esfenvalerate resistance by the Colorado potato beetle. 1.

HUDY, P., D. DOUCHES, W. PETT, and E. GRAFIUS. Evaluation of natural resistance, transgenic resistance, and the two combined, for control of potato tuber moth (*Phthorminaea operculella*), 630 (abst.).

HUDY, P. see MAAS, D.

HUISMAN, O.C. see DAVIS, J.R.

HUKUM, R. and J. LORENZEN. Nitrogen management of irrigated potatoes in North Dakota, 631 (abst.).

IGARASHI, S. see ARIHARA A.

INGHAM, R.E. and K.A. RYKBOST. Relationship between seasonal population growth of Columbia root-knot nematode and soil degree days in potato, 631 (abst.).

INGLIS, D.A. see DEAHL, K.L.

IRIKURA, Y. see ARIHARA, A.

ISHIMARU, C.A. see LAPITAN, N.L.

JAMES, R.V. see HELGESON, J.P.

JAMES, R.V. see KLEINHENZ, M.D.

JAMES, V. see KELLING, K.A.

JANSSEN, G.J.W., R. JANSSEN, and C. HOOGENDOORN. Research on resistance to Meloidogyne hapla and M. chitwoodi in potato and wild Solanum spp., 633 (abst.).

JANSSEN, R. see JANSSEN, G.J.W.

JOHANSEN, R.H. see HASHEMI, S.B. JOHNSON, D.A. and J.R. ALLDREDGE. Forecasting late blight epidemics of potato in the semi-arid environment of South Central Washington, 632 (abst.).

JOHNSON, S.B. Revisiting old concepts on shatter bruise and temperature relationships, 632 (abst.).

JOERN, B.C. and M.L. VITOSH. Influence of applied nitrogen on potato Part I: Yield, quality, and nitrogen uptake, 51.

JOERN, B.C. and M.L. VITOSH. Influence of applied nitrogen on potato Part II: Recovery and partitioning of applied nitrogen, 73.

JONES, W.B. see NOLTE, L.L.

KALACICH, J. see CIAMPI, L.

KAWCHUK, L.M. see LYNCH, D.R.

KAZUO, N. see SUZUKI, T.

KELLING, K.A. see PANIQUE, E.

KELLING, K.A., E. PANIQUE, D.E. HERO, W.R. STEVENSON, and V. JAMES. Effect of potassium rate and source on potato yield, quality and *Rhizoctonia* levels, 633 (abst.).

KENNEDY, G.G. see NAULT, B.A.

KING, R.R. see LECLERC, Y.

KITA, T. see ARIHARA, A.

KLEINKOPF, G.E. Early season storage, 449.

KLEINKOPF, G.E. see BRANDT, T.L.

KEINKOPF, G. see SHETTY, K.

KLEINHENZ, M.D., J.M. BAMBERG, and J.P. PALTA. Use of stomatal index as a marker to screen backcross populations of two wild potato species segregating for freezing tolerance, 243.

KLEINHENZ, M.D., C.C. GUNTER, and J.P. PALTA. Increases in potato tuber caldium concentration through calcium application may reduce the incidence of internal brown spot and hollow heart, 634 (abst.).

KLEINHENZ, M.D., R.V. JAMES, W.R. STEVENSON, and J.P. PALTA. Calcium application may increase potato tuber medullary tissue calcium concentration and reduce the incidence and severity of soft rot due to *Erwinia carotovora* pv. atroseptica, 635 (abst.). KLEINKOPF, G.E. see LEWIS, M.D.

KOBAYASHI, R.S., K.G. HAYNES, and S.L. SINDEN. Tuber glycoallcaloid content in potato varieties grown at eight locations, 635 (abst.).

KOBAYASHI, R.S. see SANFORD, L.L.

KOI, J. see MARTIN, C.

KOIVU, K.T. see PEHU, T.M.

KOZUB, G.C. see LYNCH, D.R.

KRUEGER, A.R. see BAMBERG, J.R.

KURTZMAN, C.P. see SCHISLER, D.A.

LACTIN, D.J. and N.J. HOLLIDAY. Spatiotemporally variable area:mass relationship of Russet Burbank potato leaflets: Implications to potato production models, 287.

LAMBERT, D. see PORTER, G.A.

LANDEO, J.A., M. GASTELO, and H. PINEDO. Breeding for horizontal resistance to late blight in potato free of R genes, 636 (abst.).

LAPITAN, N.L., K. PEDAS, and C.A ISHIMARU. Molecular genetics of immunity to bacterial ring rot in *Solanum acaule*, 636 (abst.).

LARKIN, M. see BRANDT, T.L.

LAUER, F.I. see BACKUND, J.E.

LAUER, F.I. see GOTH, R.W.

LAVERTU, A. see BUSHWAY, A.A.

LEACH, S.S. see HONEYCUTT, C.W.

LECLERC, Y. The influence of physiological ageing on the yield of potato microtubers, 637 (abst.).

LECLERC, Y., D.J. DONNELLY, W.K. COLEMAN, and R.R. KING. Microtuber dormancy in three potato cultivars, 215.

LEHTO, K.M. see PEHU, T.M.

LEWIS, M.D., G.E. KLEINKOPF, T.L. BRANDT, and M.J. FRAZIER. Sucrose and glucose concentrations in stored Russet Burbank potatoes after treatment with alternative sprout inhibitors, DMN or DIPN, 637 (abst.).

LIEBMAN, M. see HARTKE, A.

LIEBMAN, M. see GRODEN, E.

LIEBMAN, M. see PORTER, G.A.

LIEBMAN, M. see ULLRICH, S.

LITTLE, R.A. see GUENTHNER, J.F.

LAMBERT, D. see GRODEN, E.

LORENZEN, J. see HUKUM, R.

LORENZEN, J. see ABBAS, L.

LORENZEN, J.H. see BALBYSHEV, N.F.

LORENZEN, J.H. see PARK, Y.D.

LORENZEN, J. see RAI, S.

LORIA, R. see HANSON, L.

LOVATTI, L. and C. GALEGATI. Selection of high-performance starch potato progenies adapted to Mediterranean climate, 638 (abst.).

LOVE, S. see BOHL, W.

LOVE, S.L., C.V. EBERLEIN, J.C. STARK, and W.H. BOHL. Cultivar and seedpiece spacing effects on potato competitiveness with weeds, 197.

LOVE, S.L., A. THOMPSON-JOHNS, and B.K. WERNER. Mutation breeding for quality improvements in Russet Burbank, 638.

LOVE, S.L. see THOMPSON-JOHNS, A.

LOVE, S.L. see WERNER, B.K.

LYNCH, D.R., N. FOROUD, G.C. KOZUB, and B.C. FARRIES. The effect of moisture stress at three growth stages on the yield, components of yield and processing quality of eight potato varieties, 375.

- LYNCH, D.R., L.M. KAWCHUK, C.A. SCHAUPMEYER, J. HOLLEY, D. WATERER, B.L. REX M.K. PRITCHARD, and J. PANFORD. Amisk: A clonal variant of Ranger Russet, 185.
- LULAI, E.C. and M.T. GLYNN. Pressure bruising causes cellular changes in tuber periderm and increases in water vapor loss, 638 (abst.).
- LULAI, E.C. and P.H. ORR. Porometric measurements indicate wound severity and tuber maturity affect the early stages of wound-healing, 225.
- MACLEOD, J.A. see SANDERSON, J.B.
- MCBURNIE, J. see GRODEN, E.
- MCBURNIE, J. see PORTER, G.A.
- MCCORMICK, S.P. see DESJARDINS, A.E.
- MCDONALD, G.M. see FRIEDMAN, M.
- MCGRATH, J.M., S.M. WIELGUS, G.T. HABERLACH, and J.P. HELGESON. RFLP and RAPD analyses of *Solanum bulbocastanum* DNA in progeny of a somatic hybrid with potato, 640 (abst.)
- MARRA, M. see GRODEN, E.
- MARRA, M. see PORTER, G.A.
- MAAS, D., D. DOUCHES, and J. WHALLON. Use of the laser scanning confocal microscope to examine megasporogenesis in potato (*Solanum tuberosum*), 639 (abst.).
- MAAS, D., P. HUDY, B. SCHROETER, J. GOU, and D. DOUCHES. Development and Evaluation of transgenic potato (Solanum tuberosum) with the PVY° coat protein gene, 639 (abst.).
- MAKI-VALKAMA, T.K. see PEHU, T.M.
- MANZER, F.E. see REEVES, A.F.
- MARTIN, C., P. DEMO, T. GASS, V. FONDONG, and J. KOT. Development of a seed production system from *in-vitro* Cameroon: Experiences from the first two years, 299.
- MARTIN, C., P. DEMO, D. NJUALEM, T. GASS, and CH. NTONIFOR. Late blight resistant varieties for Cameroon, 513.
- MARTIN, M. see BAMBERG, J.B.
- MARTIN, M. see WERNER, B.K.
- MARTIN, R.R. see MOZAFARI, J.
- MEHDIZADEGAN, F. Evaluating somoclonal variations in 12 commercial potato varieties, 640 (abst.).
- MELCHING, J.B. and S.A. SLACK. Drip irrigation and floating row covers enhance production of nuclear potato seed stocks, 641 (abst.).
- MENA-COVARRUBIAS, J., F.A. DRUMMOND, G. PORTER, and A.R. ALFORD. Economic injury levels for the Colorado potato beetle in Maine, 641 (abst.).
- MIDGARDEN, D. see FLEISCHER, S.
- MIKITZEL, L.J. Daminozide applied to the foliage of three potato cultivars increased tuber eye number, 177.
- MIKITZEL, L.J. and N. FULLER. Dry gibberellic acid combined with talc or fir bark enhances early stem and tuber growth in Shepody potato, 545.
- MIKITZEL, L.J. see OLSEN, N.L.
- MIKITZEL, L.J. see TIMM, G.H.
- MILLER, JR., J.C., D.G. SMALLWOOD, J.P. MILLER, and G.C.J. FERNANDEZ. Norgold Russet and Norgold Russet strain M-additional evidence for genetic dissimilarity, 273.
- MILLER, J.P. see MILLER, JR., J.C.
- MILLER, J.P. see SPOONER, D.M.
- MILLER, J.T. and D.M. SPOONER. Reinvestigation of the Solanum chacoense/S. microdontum hybridization hypothesis, 642 (abst.).
- MILLS, D. and B.W. RUSSELL. Development of DNA probes specific for *Clavibacter michiganensis* subsp. *sepedonicus* by genomic subtraction, 642 (abst.).
- MOJTAHEDI, H. see BROWN, C.R.

MOORBY, J. see GUBB, I.

MOWRY, T.M. see HALBERT, S.E.

MOWRY, T.M. and L.E. SANDVOL. Survey of Colorado potato beetle insecticide resistance in Idaho, 551.

MOZAFARI, J., S.T. ALI-KHAN, D.J. WOLYN, and R.R. MARTIN. Genetic engineering of potato chipping cultivars for PLRV resistance, 642 (abst.).

MUNETA, P. and P. TASSINARI. Starch formation in potato callus tissue, 643, (abst.).

MUNK, B. see HAMM, P.B.

MURPHY, A.M., H. DE JONG, and G.C.C. TAI. Transmission of resistance to common scab via 4X-2X crosses, 643 (abst.).

MURPHY, A.M. see DE JONG, H.

MURPHY, A.M. see TARN, T.R.

NAULT, B.A., P.A. FOLLETT, F. GOULD, and G.G. KENNEDY. Assessing compensation for insect damage in mixed plantings of resistant and susceptible potatoes, 157.

NICKESON, R.J. see REEVES, A.F.

NIENHUIS, J. see SPOONER, D.M.

NJUALEM, D. see MARTIN, C.

NOLTE, P. see BRANDT, T.L.

NOLTE, P. see NOLTE, L.L.

NOLTE, L.L., M.K. THORNTON, P. NOLTE, and W.B. JONES. Comparison of wound healing in cut seed of Shepody and Russet Burbank cultivars using fluorescent and incandescent microscope techniques, 644 (abst.).

NOLTE, P., K.K. SHETTY, and C.A. STRAUSBAUGH. A survey on the frequency of Helminthosporium solani in potato seed lots and studies on fungicide resistance, 644 (abst.).

NTONIFOR, CH. see MARTIN, C.

OLSEN, N.L., L.K. HILLER, and L.J. MIKITZEL. Influence of calcium fertility and imposed stresses on the incidence of internal brown spot (IBS) in potato tubers, 645 (abst.).

OLSEN, N.L. see HILLER, L.K.

OPENA, G.B. see ZHANG, L.

OPENA, G.B., L. ZHANG, and G.A. PORTER. Response of Superior potatoes in soil management and irrigation, 645 (abst.).

ORMROD, D. see PLATT, H.W.

ORR, P.H. see GLYNN, M.T.

ORR, P.H. see LULAI, E.C.

PACHECO, M.A. see TORRES, H.

PALLAIS, N. Storage factors control germination and seedling establishment of freshly harvested true potato seed, 427.

PALTA, J.P. see BAMBERG, J.B.

PALTA, J.P. see KLEINHENZ, M.D.

PALTA, J.P. see VEGA-SEMORILE, S.E.

PANFORD, J. see LYNCH, D.R.

PANIQUE, E. see KELLING, K.A.

PANIQUE, E. and K.A. KELLING. Use of petiole sap or dry petiole tissue for assessing potato potassium needs, 646 (abst.).

PARGA, T.V. see GUIGON, L.C.

PARK, Y.D., D.H. RONIS, A.A. BOE, and Z.M. CHENG. Plant regeneration from leaf tissues of four North Dakota genotypes of potato (Solanum tuberosum L.), 329.

PARK, Y.D., D.H. RONIS, and J.H. LORENZEN. Suppression of marker genes in sequentially transformed potato (Solanum tuberosum L.), 599.

PAVEK, J.J. see THOMPSON-JOHNS, A.

PAZ, M.M. and R.E. VEILLEUX. Use of SSR markers to determine the genetic composition of anther-derived potato, 646 (abst.).

PEDAS, K. see LAPITAN, N.L.

PEHU, E.P. see PEHU, T.M.

PEHU, T.M., T.K. MAKI-VALKAMA, J.P.T. VALKONEN, K.T. KOIVU, K.M. LEHTO, and E.P. PEHU. Potato plants transformed with a potato virus YPI gene sequence are resistant to PVY°, 523.

PELOQUIN, S.J. see THILL, C.A.

PERCY, J.E. see SEABROOK, J.E.A.

PETERS, R. see PLATT, H.W.

PETERS, R.D., H.W. PLATT, and R. HALL. Mating type and sensitivity to metalaxyl of isolates of *Phytophthora infestans* from Canada, 647 (abst.).

PETERSON, L.A. see BAMBERG, J.B.

PETT, W. see HUDY, P.

PHILLIPS, J.G. see HENN, R.A.

PINEDO, H. see TROGNITZ, B.R.

PINEDO, H. see LANDEO, J.A.

PLAISTED, R.L., W.M. TINGEY, and J.C. STEFFENS. Advances in developing insect resistant potato clones utilizing *Solanum berthaultii* as the source of resistance, 647 (abst.).

PLATT, H.W. see DE JONG, H.

PLATT, H.W. see PETERS, R.D.

PLATT, H.W., R.D. REDDIN, D. ORMROD, and R. PETERS. Late blight foliar and tuber rot responses in potato cultivars, 647 (abst.).

PLATT, H.W. see TARN, T.R.

PLISSEY, E.S. see REEVES, A.F.

PORTER, G.A. see GRODEN, E.

PORTER, G.A., M. LIEBMAN, J. MCBURNIE, A.R. ALFORD, F. DRUMMOND, E. GRODEN, D. LAMBERT, and M. MARRA. Potato cropping systems research in Maine: II. Comparison of conventional versus alternative soil management systems, 648 (abst.).

PORTER, G. see MENA-COVARRUBIAS, J.

PORTER, G.A. see OPENA, G.B.

PORTER, G.A. see REEVES, A.F.

PORTER, G.A. see WESTRA, J.V.

PORTER, G.A. see ZHANG, L.

POWELSON, M.L. and B. CHRIST. Effect of drought and Verticillium dahliae on severity of potato early dying and yield of potatoes, 648 (abst.).

PRESTON, D.A. and M.T. GLYNN. Relationship of tuber damage with the instrumented sphere (IS) on the clodhopper sorting machine, 649 (abst.).

PRESTON, D.A. see GLYNN, M.T.

PRESTON, D.A. see GUDMESTAD, N.C.

PRITCHARD, M.K. see GICHOHI, E.G.

PRITCHARD, M.K. see LYNCH, D.R.

PRITCHARD, M. see REX B.L.

QUISENBERRY, S. see HALBERT, S.

RACZ, G. see REX, B.L.

RADCLIFFE, E. see DIFONZO, C.

RAGSDALE, D. see DIFONZO, C.

RAI, S. and J. LORENZEN. Inheritance of covalently-bound phosphate in potato starch, 652 (abst.).

REDDIN, R.D. see PLATT, H.W.

REEVES, A.F., G.A. PORTER, C.E. CUNNINGHAM, R.J. NICKESON, F.E. MANZER, T.M. WORK, A.A. DAVIS, and E.S. PLISSEY. Portage: A new early-maturing, round white table potato variety, 681.

REEVES, A.F. see BUSHWAY, A.A.

REX, B.L., G. RACZ, M. PRITCHARD, and D. TOMASIEWICZ. Response of Russet Burbank and Shepody to rate and time of nitrogen application, 649 (abst.).

REX, B.L. see LYNCH, D.R.

RIVERA-PENA, A. see DEAHL, K.L.

RODRIGUEZ, J. see SECOR, G.A.

RODRIGUEZ, D., G.A. SECOR, and N.C. GUDMESTAD. Resistance to Helminthosporium solani in tuber-bearing Solanum species, 650 (abst.).

RODRIGUEZ, D.A., G.A. SECOR, N.C. GUDMESTAD, and G. GRAFTON. Screening tuberbearing Solanum species for resistance to Helminthosporium solani 669.

RODRIGUEZ, D., G.A. SECOR, N.C. GUDMESTAD, and L.J. FRANCL. Postharvest dynamics of Helminthosporium solani conidia, 650 (abst.).

RONIS, D.H. see PARK, Y.D.

RUSSELL, B.W. see MILLS, D.

RYKBOST, K.A., R. VOSS, H.L. CARLSON, and K. BRITTAN. Objective definition of tuber skin and flesh color, 651 (abst.).

RYKBOST, K.A. see INGHAM, R.E.

SANCHEZ, A.A. see GUIGON, L.C.

SANDERSON, J.B. and J.A. MACLEOD. Catch crops planted after potatoes reduce nitrate leaching, 651 (abst.).

SANDERSON, J.B. see WHITTE, R.P.

SANDVOL, L. see HALBERT, S.

SANDVOL, L.E. see MOWRY, T.M.

SANFORD, L.L., R.S. KOBAYASHI, K.L. DEAHL, and S.L. SINDEN. Segregation of the glycoalkaloid leptine in *Solanum tuberosum* (4x) X S. chacoense (4x) crosses, 651 (abst.).

SANFORD, L.L., K.L. DEAHL, S.L. SINDEN, and R.S. KOBAYASHI. Glycoalkaloid content in tubers of hybrid and backcross populations from a Solanum tuberosum X S. chacoense cross, 261.

SANTO, G.S. see BROWN, C.R.

SAUNDERS, L.D. see SHOCK, C.C.

SAUNDERS, L.D. see FEIBERT, E.B.G.

SAUNDERS, M.G. see HUANG, H.

SCHAUPMEYER, C.A. see LYNCH, D.R.

SCHISLER, D.A., C.P. KURTZMAN, R.J. BOTHAST, and P.J. SLININGER. Evaluation of yeasts for biological control of Fusarium dry rot of potatoes, 339.

SCHISLER, D.A. see SLININGER, P.J.

SCHNEIDER, A.T. see DAVIS, J.R.

SCHROETER, B. see MAAS, D.

SEABROOK, J.E.A. and L.K. DOUGLASS. Increasing potato plantlet height in vitro by the use of a yellow filter, 652 (abst.).

SEABROOK, J.E.A. and L.K. DOUGLASS. Removing leaves from potato single-node cuttings in vitro reduces vigor of plantlets, 652 (abst.).

SEABROOK, J.E.A., J.E. PERCY, L.K. DOUGLASS, and G.C.C. TAI. Photoperiod in vitro affects subsequent yield of greenhouse-grown potato tubers, 365.

SECOR, G.A. see GUDMESTAD, N.C.

SECOR, G.A., N.C. GUDMESTAD, D. RODRIGUEZ, and J. RODRIGUEZ. Distribution of TBZ resistant Fusarium sambucinum from potato and impact on dry rot in storage, 653 (abst.).

SECOR, G.A. see RODRIGUEZ, D.

SEPULVEDA, B. see CIAMPI, L.

SHAFII, B. see SHETTY, K.

SHARP, S. see GUBB, I.

SHEN, L.Y. and R.E. VEILLEUX. Yield of embryos from sequential anther culture, 689.

- SHETTY, K., B. BOWERS, G. KLEINKOPF, B. SHAFII, D. CORSINI, and J. FULLER. The cause and control of stem end discoloration (SED) in Russet Burbank potatoes, 654 (abst.).
- SHETTY, K.K. see NOLTE, P.
- SHOCK, C.C. see FEIBERT, E.B.G.
- SHOCK, C.C., E.B.G. FEIBERT, and L.D. SAUNDERS. Effects of deficit irrigation on tuber yield and quality, 654 (abst.).
- SHOCK, C.C. see STIEBER, T.D.
- SIECZKA, J.B. see HAYNES, K.G.
- SINDEN, S.L. see SANFORD, L.L.
- SINDEN, S.L. see DEAHL, K.L.
- SINDEN, S.L. see KOBAYASHI, R.S.
- SLACK, S.A. see MELCHING, J.B.
- SLACK, S.A. see SUZUKI, T.
- SLACK, S.A. and A.A.G. WESTRA. Evaluation of flusulfamide for the control of bacterial ring rot of potato, 655 (abst.).
- SLININGER, P.J., D.A. SCHISLER, L.D. ERICSSON, and R.J. BOTHAST. Growth culture physiological state influences the efficacy of bacterial biocontrol agents against *Fusarium* dry rot of potatoes, 655 (abst.).
- SLININGER, P.J. see SCHISLER, D.A.
- SMALLWOOD, D.G. see MILLER, JR., J.C.
- SMILOWITZ, Z. see HUANG, H.
- SMILOWITZ, Z. see FLEISCHER, S.
- SMITH, O.P. see BROWN, C.R.
- SORENSEN, L.H. see DAVIS, J.R.
- SOUZA-MACHADO, V. and A. ALI. Minituber nuclear production in protected environments. A Guelph experience, 656 (abst.).
- SOWOKINOS, J., C. THOMAS, K. BLUNDY, and M.M. BURRELL. Evidence for two UDP-glucose pyrophosphorylase (UGPase) genes in potato tubers, 656 (abst.).
- SPOONER, D.M. see MILLER, J.T.
- SPOONER, D.M., J. TIVANG, J. NIENHUIS, J.P. MILLER, D.S. DOUCHES, and A. CONTRERAS M. Comparison of four molecular markers in measuring relationships among Solanum section Etuberosum (subgenus potatoe), 657 (abst.).
- STARK, J.C. see LOVE, S.L.
- STARK, J.C., D.T. WESTERMANN, and J.F. GUENTHNER. Maximizing the efficiency of potato irrigation and nitrogen management systems, 657 (abst.).
- STEFFENS, J.C. see PLAISTED, R.L.
- STEVENSON, W.R. see HELGESON, J.P.
- STEVENSON, W.R. see KELLING, K.A.
- STEVENSON, W.R. see KLEINHENZ, M.D.
- STEWART, J. see ARSENAULT, W.
- STIEBER, T.D. and C.C. SHOCK. Placement of soil moisture sensors in sprinkler irrigated potatoes, 533.
- STIEKEMA, W.J. see ALLEFS, S.J.H.M.
- STRAUSBAUGH, C.A. see NOLTE, P.
- SULOIMAN, A., S. HAFEZ, and M. THORNTON. Hose status of selected crops to Meloidogyne chitwoodi and Pratylenchus neglectus, 658 (abst.).
- SUZUKI, T., N. WATANABE, M. ZAITLIN, and S.A. SLACK. Comparison of transformation methods in potato using a transient GUS fluorometric assay, 658 (abst.).
- TAI, G.C.C. Development of performance model for potato improvement, 659 (abst.).
- TAI, G.C.C. see DE JONG, H.
- TAI, G.C.C. see MURPHY, A.M.

TAI, G.C.C. see TARN, T.R.

TAI, G.C.C. see SEABROOK, J.E.A.

TARN, T.R see DE JONG, H.

TARN, T.R., G.C.C. TAI, A.M. MURPHY, H. DE JONG, H.W. PLATT, R.H. BAGNALL, W.J. ARSENAULT, J.H.E. THORPE, D.A. YOUNG, and H.T. DAVIES. AC Brador: A new late-maturing cultivar with a high degree of field resistance to late blight, 401.

TARN, T.R., H. DE JONG, A.M. MURPHY, G.C.C. TAI, W.J. ARSENAULT, J.H.E. THORPE, R.H. BAGNALL, H.W. PLATT, D.A. YOUNG, and H.T. DAVIES. AC Belmont: A new early-maturing potato cultivar with short dormancy, 409.

TASSINARI, P. see MUNETA, P.

THILL, C.A. and S.J. PELOQUIN. Tetraploid potato clones with 25% wild species germplasm that produce cold (4 C) chipping progenies, 659 (abst.).

THOMAS, C. see SOWOKINOS, I.

THOMAS, P.E. see BROWN, C.R.

THOMAS, P.E. see CROSSLIN, J.M.

THOMPSON-JOHNS, A., J.J. PAVEK, S.L. LOVE, and D.C. CORSINI. History of potato breeding at Aberdeen, Idaho, 660 (abst.).

THOMPSON-JOHNS, A. see LOVE, S.L.

THOMPSON-JOHNS, A. see BOHL, W.

THORNTON, M. see BRANDT, T.L.

THORNTON, M.K. see NOLTE, L.L.

THORNTON, M. see SULOIMAN, A.

THORPE, J.H.E. see DE JONG, H.

THORPE, J.H.E. see TARN, T.R.

TIEMANN, H. The use of dihaploids in a potato breeding programme via sexual polyploidization, 660 (abst.).

TIKKANEN, C.A. see HAMM, P.B.

TIMM, G.H. and L.J. MIKITZEL. The differential response of apical and basal pieces of aged potato tubers to multiple paclobutrazo sprays, 661 (abst.).

TINGEY, W.M. see PLAISTED, R.L.

TIVANG, J. see SPOONER, D.M.

TOMASIEWICZ, D. see REX, B.L.

TORRES, H., M.A. PACHECO, and E.R. FRENCH. Resistance of potato to powdery scab (Spongospora subterranea) under Andean field conditions, 355.

TROGNITZ, B.R. Three nuclear genes that influence pollen fertility in dihaploid potato, 661.

TROGNITZ, B.R. Self-incompatibility and the breeding system of *Solanum commersonii*. 662 (abst.).

TROGNITZ, B.R., G. CHACON, H. PINEDO, and M. ESLAVA. Screening for R genes causing race-specific resistance to late blight in wild potato species, 662 (abst.).

ULLRICH, S., M. LIEBMAN, E. GALLANDT, and F.A. DRUMMOND. The influence of tillage and rotation crops on weed population dynamics in potatoes, 662 (abst.).

VALKONEN, J.P.T. see PEHU, T.M.

VANDERZAAG, P. see DEMAGANTE, A.L.

VAUGHN, S.F. Histochemical localization of superoxide dismutase in potato tuber tissue, 663 (abst.).

VAUGHN, S.F. and R.A. BOYDSTON. *Brassica* green manure crops for suppression of weeds in potatoes, 663 (abst.).

VAUGHN, S. see HALBERT, S.

VEGA, S.E. and J.M. BAMBERG. Screening the U.S. potato collection for frost hardiness, 13.

VEGA-SEMORILE, S.E., J.B. BAMBERG, and J.P. PALTA. Variation in the speed of cold acclimation among wild tuber-bearing potato (*Solanum*) species, 664 (abst.).

1C 202 - XC - 12/30/99 UNI MICROFILMS INC 300 NORTH ZEEB ROAD ANN ARBOR MI 48106-1346

816

AMERICAN POTATO JOURNAL

(Vol. 72

VEILLEUX, R.E. see PAZ, M.M.

VEILLEUX, R.E. see SHEN, L.Y.

VEILLEUX, R.E. see YIN, S.L.

VICTORY, S.L. see HILLER, L.K.

VITOSH, M.L. see JOERN, B.C.

VOSS, R. see RYKBOST, K.A.

WALSH, J.R. Utilizing the stored crop, 481.

WATANABE, N. see SUZUKI, T.

WATERER, D. see LYNCH, D.R.

WEISZ, R. see FLEISCHER, S.

WEISZ, R. see HUANG, H.

WERNER, B.K., M. MARTIN, and S.L. LOVE. Relationship of total glycoallcaloid levels in potato vines and tubers, 664 (abst.).

WERNER, B.K. see LOVE, S.L.

WESTERMANN, D.T. see STARK, J.C.

WESTRA, A.A.G. see SLACK, S.A.

WESTRA, J.V., K.J. BOYLE, and G.A. PORTER. Net revenues of potatoes rotated with other crops, 99.

WOLYN, D.J. see MOZAFARI, J.

WORK, R.W. see BUSHWAY, A.A.

WORK, T.M. see REEVES, A.F.

WHALLON, J. see MAAS, D.

WHITE, R.P. and J.B. SANDERSON. Potato irrigation study on Prince Edward Island, 665 (abst.).

WIELGUS, S.M. see MCGRATH, J.M.

WILSON, D.R. see GOTH, R.W.

YANG, C.P. see BROWN, C.R.

YIN, S.L. and R.E. VEILLEUX. Analysis of the genetic composition of anther-derived plants by randomly amplified polymorphic DNA, 665 (abst.).

YOUNG, D.A. see DE JONG, H.

YOUNG, D.A. see TARN, T.R.

YOUNG, R.J. see GOTH, R.W.

ZAITLIN, M. see SUZUKI, T.

ZHANG, L. see OPENA, G.B.

ZHANG, L., G.B. OPENA, and G.A. PORTER. Ascorbic acid and glycoalkaloid content of Atlantic and Superior polato tubers grown under varying management, 666 (abst.).

ZINK, R.T. The effect of metalaxyl on the incidence of pink rot, 665 (abst.).

ZOBEL, R.W. see HALSETH, D.E.

